

Booster Line

Inside This Newsletter

- 1 Our Runs**
Fire and Incident Responses
this reporting period
- 3 Commander's Cove**
The Who's, What's, Where's
When's and Why's of SHPK
- 4 EMS News**
EMS news, bits, and pieces
- 6 Employee of the Month**
Who went above and beyond

“911, What’s your Emergency?”

Our current reporting period covers the activities that Schiller Park responded to in the last month. The following incidents are the firefighters and paramedics more unique calls. As always Schiller Park members responded to any call for help.

This month we begin on December 14th when Black shift was dispatched to a motor vehicle accident. Upon arrival members found two vehicles involved with one over 20 feet into the woods and the other in the middle of the road. The vehicles were secured and the ambulance assessed the victims.

Later in the shift the members were again dispatched to an accident with injuries. This time it was in front of the firehouse where a car struck a light pole laying it on the ground with exposed wires. The scene was cordoned off and electricians called from our vendor to ensure the wires would not injure anyone.

Gold shift on December 16th took in the smell of smoke. On scene they found an older refrigerator in the basement that appeared to be going out. When it was unplugged the smell subsided.

December 17th has Black shift take in a Hazardous Materials incident in Bensenville. Cmdr. Chiodo and FF/PM Hudecek responded as the on-duty technicians and support. A leak in a pipe that was being repaired was accidentally cracked. Entry personnel were able to do recon and evaluate the extent of the situation before bringing the situation under control.

After midnight a call for a head on collision had Black shift respond. A car had crossed the line and ran into another. The ambulances checked out and treated the drivers and passengers.

Cmdr. Maher and Red shift responded December 18th to an

accident in front of St. Maria Goretti. Here a car ran into two other parked cars. Our ambulance treated and assessed the original driver.

Their next call was for a smell of something burning. Fire Companies arriving on scene found that they had some paper smoldering in a trash can that was now removed to the outside of the structure. The fire was extinguished and automatic aid companies held up.

Gold shift responded twice to a location behind a bar when occupants found a wire on a utility pole glowing. Members arrived and had dispatch call Com Ed. No immediate danger was present and companies picked up. Additional patrons of the bar came out to smoke and believed the wires were on fire and re-called the fire department to the scene. A second investigation found no further problems and Com Ed arrived shortly.

December 22nd had Gold shift respond to a resident who had his hand caught in a wheel well and pinned in. members responded to find the resident trying to change his tire when the “jack” failed and the car now pinned his hand between the fender and the tire. Members used air bags to raise the car and free his hand.

On the 23rd of December a fire alarm in an apartment building had Black shift take it in. On scene they found that the tenant in one of the units burnt their Christmas cookies setting off the alarm. The condo was vented.

Christmas Eve had Red shift investigate the odor of natural gas. Using department monitors we found that it was a gas leak at a union. The owner was advised so a repair could be made.

As with some holidays, stress and loneliness can be a problem. Often emotional and psychological problems come to the surface and so on Christmas Eve an individual who may have been distraught, walked into the woods and hung themselves. These calls on holidays can also be stressful for on duty personnel.

Christmas Eve next brought a fire alarm in another condo building. Entering the alarm panel indicated it was a smoke detector. Members smelled and saw light smoke in the building. It was a telltale sign of burnt food and members began looking into which unit had the burnt food. After finding the unit the truck company assisted in ventilating the building.

The end of the year also meant the end of a life as Red shift took in a DOA on December 30th.

Gold shift completed the calendar year just before midnight at a hotel where guest were celebrating the coming New Year. Unfortunately, the smokers were too near a detector which set it off.

The New Year started off on Black shift with a fire. A business in town that caters to boarding animals had a fire in a dryer in the building. Nearly 100 dogs were present and Cmdr. Leiser had the fire and 100 dogs to worry about. A working fire response was ordered. Our truck company worked simultaneously with our engine to get into the building and put out the fire while FRPK Truck 2 went to the roof to ventilate. Change quarter companies covered Schiller Park while we were committed. Leyden and Norwood Park also assisted. Ironically one of our own firefighters actually had his dog in this facility. ALL animals were rescued and no injuries resulted.

The following day Red shift took in a working fire in Franklin Park at a car repair facility. The fire was elevated to a second alarm and we were assigned RIT. The roof came in with no firefighter injuries.

Just as the fire companies were released and they were returning to quarters, a call came in for a baby locked in the car. The hysterical mother not wanting to wait for us to arrive smashed the window to get in. We arrived as she broke the window.

A fire alarm in a food processing facility on January 3rd has a fire response that found a garbage can thrown against the wall struck the pull

station tripping it.

January 4th had Black shift take in a water flow alarm. Pulling up the occupant told Cmdr. Leiser that it was a sprinkler head in the spray booth that went off for no reason. The sprinkler system was shut down and a sprinkler company called to make the repair.


A midnight snack by a condo resident set off the fire alarm and next found Black shift go to a condo unit for smoke in the building. Burnt food and an embarrassed resident.

A family staying at one of our hotels for a weekend on January 6th had the misfortune of having their child pull the fire alarm and causing a fire department response. Cmdr. Maher and the group reset the alarm and spoke with the child.

The group picked up and was directed for our last call of the reporting period to go to the elevator emergency where persons were trapped inside. The group found the elevator stalled and used the elevator keys to recall the elevator to the first floor where they opened the door and removed one person.


The following is the total run count compared with the same reporting period from 2011:

Total Incidents




The run summary for Automatic Aid as of December 31st "To" the following communities:

Auto Aid Given



The run summary for Automatic Aid as of December 31st "From" the following communities:

Auto Aid Received



	<u>2012</u>	<u>2011</u>
Total Incidents	1786	1874

Auto Aid to:

Franklin Park (FRPK)	42	50
Norwood Park (NOPK)	102	152
Rosemont (RSMT)	120	98

Auto Aid From:

Franklin Park (FRPK)	145	150
Norwood Park (NOPK)	125	144
Rosemont (RSMT)	6	10

Batt. 5-	576	Squad 5-	151
Tower 5-	364	Engine 5-	1347
Engine 6-	49	Ambulance 5-	1029
Ambulance 6-	121	457 (ret.)-	8
Ambulance 463-	7		

department is applying hydrant locks on their hydrants north of Irving. If we need to "catch" a hydrant and we do not have a key, they recommend that you use a halligan bar to snap it off (see photo).

Commander's Cove

We Stagnate When Caution Prevails

FF/PM Rupsis continues to be on extended medical leave. We anticipate his return by the start of the new fiscal year.

We would like to welcome a new member to the Schiller Park Police Department Vincent Cavalieri. P.O. Cavalieri was sworn in by the Police and Fire Commission January 8th.

January 11th saw the probationary period for FF/PM Warden come to an end and given all rights and privileges of full time members. Congratulations Jessica.

Congratulations to Chief Cadigan of Maywood who retired during December. Chief Cadigan put in 30 years and will be missed throughout the Division. He was a big help in training, haz mat and fire investigations.

It was decided by the Operations Division that when Engine 6 needs to come over to Station 5, we will move Squad 5 to the front running position and use it as it is licensed medically and has a spot for locking the necessary drugs. It will retain its signature of Squad 5 and Engine 6 will retain its signature as Engine 6 when responding.

Our year end Run count revealed that we did slightly less calls this past year than the previous with a total of 1786 or nearly 90 fewer calls. The breakdown is as follows with each vehicle and its runs:

The department also will be having their official dress pictures taken this month. A collage will be created in the firehouse on the Wall of Honor.

The department has also adopted a new winter coat. The new coat meets safety and industry standards. It is reflective and replaces the old parkas which are no longer available.

New exterior strobes replaced older lights in front and rear entrances of the firehouse for emergency notification for members.

The State and City of Chicago have completed the "new" Irving Park Rd west of Taft. It has been re-directed south to almost the Bensenville train yard. Note that they also included a median with a high curb. During rush hours and when a train is at York Rd. you will not be able to cross over into the eastbound lanes. This will cause delays if we are needed in Bensenville. Be patient and be careful.

As part of the reconstruction project on Mannheim road, the State has now installed a curb along Berteau making it impassable. United Parkway is now open eastbound. This will be the route when responding to 10249 Irving.

Director Deegan had suggested that we use a new callback and hire back program. It was computer based to allow all members access to request vacation, personnel days trades etc. After the trial version and period, members felt that it was not a program that was beneficial and we have abandoned it at no cost.

The Bensenville Public Works

Director Deegan has realigned the shifts starting May 1st. Those getting shift changes have been spoken too by Director Deegan. The new calendars are circulating to make vacation and personnel day picks. All three Lieutenants are being re-assigned and a balancing of seniority forced several other changes.

Director Deegan is also working with the staff on the End of Year Reports. As part of the entire process he is also in the preliminary stages of preparing next fiscal year's budget and is looking for input.

The new Aldi's opened December 13th. Plans are in the works by the owner of the Schiller Commons to bring a new tenant into the old building.

IDOT has approved funding for the widening of Mannheim road from Irving north to the Kennedy. We are not sure at press time when this project will begin.

The Berkeley Fire Department began providing Advance Life Support (ALS) ambulance service with paramedics on January 14th. They will staff 24 hour ALS care and will be working out of Loyola's system.

We are also looking at getting voluntary compliance with numbering or lettering the stairways in our multi-story buildings. This would aid residents and firefighters in identifying the fire attack and evacuation stairways.

Another project is to identify which elevators our stretchers can be accommodated in by placing a Star of

Life on the elevator(s) that we can get our stretcher into. A blue bar under the Star of Life will indicate that the stretcher can be fully vertical in the elevator.

Tools / Equipment and Other FYI's

A number of items have been worked on this past month.

Items worked on and happenings around the firehouse this month include:

Lt. Budnik has scheduled maintenance of our rescue tools on January 23rd. They will perform the annual service per contract.

Lt. Budnik also had United radio come out and look at the radio on the pump panel of Tower 5. A problem that could not be fixed here forced the technician to bring it to the shop for bench time.

Engine 5 also went out for repairs to a damaged rolling door on the driver side. It was repaired and then went to have some diesel engine work completed. Both repairs were made and the rig is back in service.

On a trouble alarm call we found that the Knox Box was not wired in on Engine 6. Upon returning to quarters FF/PM Bertocini was able to hook up the connections and wired to release the key.

Tony C. also was able to make a repair to the air horn on Squad 5. A bad relay prevented the horns use.

We also added to the rear of battalion 5 a holder for 5 additional portable radios. These came from the last five members who were using older portables. Significant discounts from Motorola allowed us to purchase the newer radios and standardize all members' portables. The five older radios and spare batteries, chargers are all located in the buggy.

We also have now numbered all of our new 2 ½ inch hose. This replaced

older 3" inch hose no longer in service and now standardizes all of our hose on all of our rigs. Old 3 inch surplus hose was listed on the State Fire Marshal website for needy departments in Illinois.

The hose reels for air and water located on the ceiling of the apparatus floor were repaired with new springs and locking mechanisms.

The firehouse too saw some improvements this past month. These included the replacement of a "Sloan Valve" in the men's bathroom, a new 1 inch water line for the kitchen and a small hot water tank in the kitchen under the sink. Also a new bulletin board was put up in the kitchen. Use this for any department information as opposed to using the ice boxes. FF/PM Schneider also purchased a new cold/hot water cooler with filtration for our kitchen. Lastly, a new Apple computer was added to the classroom for member use.

If you would like to view all completed reports for each division of our department, training, EMS, inspections, station maintenance, vehicle maintenance and public education can be found in the Chief's Monthly Report posted on the board and submitted to the Village Board.

EMS Director's Briefs

Just an update on activities within the bureau...

We are still keeping in close contact with the vendor of our new ambulance. The committee has reviewed each step and stage of the building process. We will be visiting the vendor in the near future to check progress and inspect the vehicle. We will meet again to discuss other updates.

When doing run sheets please verify that you have the correct incident

number. All incident numbers from Schiller Park dispatch are seven digits. Also to help prevent the computers from overheating, leave the lid open.

As part of training and teaching department we have partnered with Northwest Community Hospital with the training of paramedic students. During the past month the two students have ridden several times as observers. It is anticipated that we will have the two new students sometime around October while in paramedic school. FF/PM Bubis and PM Jenkins will be proctoring these students. A new set of guidelines has been developed to evaluate the program including our needs and the students.

Worldwide there continues to be a shortage of certain drugs that we administer. It may be impossible to exchange certain drugs at the hospital because of the shortage. I will be coming out with an FYI to inform you of any developments.

Please remember that any unused or empty controlled substance vials must be brought into the hospitals for them to replace. If you have any questions or concerns, please see EMSD Nosek.

Please consult the FYI's on the EMS Clipboard in the kitchen for complete info and updates.

Other EMS bits...

The Northwest Community Hospital website for Continuing Education has a ton of information that can assist paramedics with continuing education and also provide assistance on the monthly training. If you have not had an opportunity to check the website it would be advisable.

We were able to repair the side step on Ambulance 5 in house by our own members.

We also had all of our cots/stretchers maintained and serviced this past month. Any modifications or updates

that were necessary were made.

We also replaced headlights on Ambulance 5 that needed changing.

Our mechanic Tony was called in on a weekend when it was determined that Ambulance 5 had no heat in both the cab and compartment. Tony was able to obtain the right thermostat from International on a Saturday and install it to keep the vehicle in service.


Lastly, Tony replaced the No Smoke canister after we found that it was clogged due to the malfunctioning fuel injectors.

Please refer to the clipboard in the kitchen for any new updates in the Bureau.

During the past month personnel responded to 102 emergency calls. A total of 106 patients were encountered. 66 patients were transported to area hospitals. 55 patients required Advanced Life Support care.

	<u>2012</u>	<u>2011</u>
Total Responses	1154	1217
Cardiac	92	105
Medical Emergency	616	634
Accidents/Trauma	276	234
Fire Responses	158	198
False Alarm/Standby	14	18
Mut. Aid to SHPK	25	36
SHPK to others	39	54

EMS Total Responses



Projects in the Works

All the shifts are encouraged to take on new challenges. If you have a project or an idea, please run it past Director Deegan, Lt. Budnik or FF/PM Bertoncini.

We are also in the process of framing out the west overhead garage doors which have not been used in over 30 years. More in our next issue.

We also obtained a used floor scrubber that FF/PM Bertoncini is working on to see if it is viable.

We are looking at insulating the old entrance to the firehouse from the radio room to make it more sound proof.

Lt. Budnik and his Bureau have also embarked on the following projects— a new exhaust fan will be installed at the top of the stairway in the firehouse to help vent heat that comes up the stairs from the apparatus floor. Hopefully this will help remove the high heat and humidity that plagues us during the summer.

The Bureau also is replacing the doors in the firehouse with new 6 panel doors. There are 13 doors in the firehouse that will eventually be replaced. To date the entrance to the kitchen, lieutenant office and hallway to laundry room have been replaced.

What's in the works? –

- New lights at station 2
- Additional outlets at station 2
- Emergency phone outside sta. 2
- mount patches around kitchen
- paint apparatus floor border
- Paint tool room floor
- Install window in TV. Room
- Paint sta.6 floor
- Door and jam simulator
- sprinkler simulator
- New high-rise load packing tool

-fully sprinkler the firehouse

Trivia

Answer to last month's Trivia

December Trivia

When was the first standpipe for tall buildings created?

Although information is sketchy, it appears standpipes were developed around the time of the Civil War.

Only one correct answer was submit by Chief Belmonte (ret.) Westchester

January Trivia

At one time Snorkels were the must have piece of equipment and we all had them. While everyone knows they were developed by the late Chicago Fire Commissioner Robert J. Quinn when and where was the first time a snorkel operated?

Please submit your answers in writing to the *Booster Line* in order to be eligible for the prizes. Winners will be selected randomly from all correct entries.

Office of the State Fire Marshal and Training

Failure to Train is Training to Fail

The training division has been active in defining and charting a course for our department.

FF/Pm Miletta and FF/PM Warden completed the Fire Prevention Principles class as part of their job requirements and is a class through the State Fire Marshal.

Cmdr. Leiser attended the Training

and Safety Officers meeting.

I have received a DVD training simulator where we can use pictures of buildings in town and I will be able to set up different scenarios.

I am looking into the possibility of hosting some State Fire Marshal classes including technical rescue and fire apparatus engineer. I will notify personnel if openings occur.

We will also have in the new future a Fire Service Vehicle Operator class (FSVO).

I have signed up several members for OSFM classes as part of their job requirements. If you know that you need a class please let me know, I will try to find one, however if you find one on your own please submit the paperwork and maintain a copy for yourself.

I have also obtained railroad ties for training in using different techniques for cutting, i.e. chopping with axes, mauls, saws. They are located behind the firehouse.

The OSFM has also created its latest flow charts for certifications through their office. A copy is posted in the kitchen.

Members completed 171 hours of training for the month with 23 training drills. This includes outside classes. Our Paid on Call had 3 meetings for 16 hours.

The second Thursday of each month the State Fire Marshal has a testing site at Triton College. They have also instituted a new policy of a government issued picture ID at the test site. If you cannot produce one you will not be allowed in. Likewise they are requesting that all phones be left in the test takers car to help with the integrity of the test (too many camera phones). If you would like to sign up see Cmdr. Leiser.

Please fill an Outside Training Form whenever you attend a class, seminar or training session outside of Schiller Park. This allows for accurate record keeping in those areas and credit for the hours you put into training.

Signing up for tests is considered a Duty Assignment. If you can't attend see me in advance and provide a written response for the absence.

Employee of the Month

This month we nominate and acknowledge as our Employee of the Month—Lt. Cesaretti.

For the last several years we have ordered and created 11X17 department shift calendars.

Last year Lt. Cesaretti suggested that at the bottom of the calendar rather than have the vendor's logo and promotional info we could list the Holidays and place on the calendar a box around the date. This would let members know what holiday was when and assigned to which shift.

The vendor incorporated this into the calendar and has also included this on all calendars she sells to all fire departments. (See copy).

For your commitment to our department we are honored to call him our Employee of the Month.

Thanks for your time and dedication, you make us proud to be firefighters and in the fire service and village employees.

If you would like to nominate a firefighter, paramedic, officer or other persons for recognition, please submit the action or the incident in writing to the editor Cmdr. Chiodo.

Fire Prevention

An Ounce of Prevention is Worth a Pound of Cure

Members completed their 2012 inspections. Each shift received approximately 1/3 of the inspections or about 135 per shift. The inspections are rotated so that over a three year period each shift should have the opportunity to enter all the businesses. I have assigned the

2013 inspections to each of the shifts.

Beginning January 1st Cmdr Maher will create a form to help track water usage on sprinkler systems. We will now ask the inspectors to do a meter reading AT the sprinkler system. Cmdr. Maher will provide training on where to look and how to document.

Our Water Department has also requested that on any new or upgraded fire suppression system that the by-pass meter on the backflow protection be either a Neptune or Census water meter. These are compatible with our MXU system.

Please remember on emergency numbers forms to circle which shift the inspection is assigned to. That way it can go in the correct file and may save a re-inspection trip if that was all they required.

We also want to ensure that all PRE-PLAN sheets are returned and handed in to Cmdr. Maher or FF/PM Niemand. These are ESSENTIAL for us to try to complete our computer based pre-plan program. Cmdr. Maher will begin to strictly enforce the policy on completing these documents with possible disciplinary action for non-compliance. When you bring back your fire inspections, make a copy of the pre-plan forms and submit to FF/PM Niemand. He is CAD drawing the diagrams with the information. He is also using satellite imagery in each of the files. This process will take a year or more to import, drawn and download to our laptops. IT IS IMPORTANT TO COMPLETE THIS PAPERWORK AS IT IS PART OF THE PRE-PLAN THAT IS ISO NECESSARY.

I am reviewing several new businesses in town. We have several major projects that are in the works.

If you are interested in any of the plan review in the Fire Prevention office please see me. I will review what is coming into town based on what plans Community Development sends over.

Any member wishing to attend the

monthly meeting of the Illinois Fire Inspectors Association should contact Cmdr. Maher.

We are also suggesting and strongly recommending that sprinkler and standpipe connections be converted to stortz fittings. Please consult with Cmdr. Maher.

The State Fire Marshal is instituting a new certification program Inspector I. Cmdr. Leiser is looking into the program if this should replace the Fire Prevention Principles as required before third year of hire. Cmdr.'s Leiser and Maher will advise those needing the class when it is available.

I also plan on retiring in the near future. As such I am beginning a transition to my replacement Lt. Hatcher. I hope you support him as well or better than me. More to follow.

Public Affairs

Saving Lives Through Education

We have been very pro-active in Public Relations during the past month.

Members assisted the Boy Scouts of America as they completed merit badges in First Aid and Emergency Preparedness. (See photo)

FF/Pm LiRosi also continues to work in training and teaching CPR classes.

We are also coordinating with other a fire service organizations the implementation and publicizing the "ICE" program (In Case of Emergency) for people's cell phones.

Schiller Park Fire Fighters Association

FF/PM LiRosi is collecting House Dues for 2013. Please pay him the fee (\$60.00) so that we can continue to buy common supplies for all three shifts.

The three shifts collected for the Salvation Army Ring the Bell this past Christmas. A total of \$827 was raised—Red=\$343, Gold=\$317 and Black=\$167.

An Association meeting is planned for Wednesday January 23rd in the classroom. Agenda items are to be submitted to FF/PM Schneider by the 22nd.

The Association also is hosting Fishes and Loaves at St. Beatrice on February 8th. Cooking will commence at 4:30 with the doors opening at 6:00 and dinner at 6:30. Volunteers are needed.

Retiree Row

FF Ball (ret.) contacted the firehouse this past month to see how things were going. Ed related that he recently had partial knee replacement. He has recovered just fine but his hockey days are over. He also stated that his nephew Adam whom many of us remember when Uncle Ed brought him to the firehouse as a little boy and was sitting behind the wheel of the fire truck is now a young man at Harper College studying Fire Science. Perhaps he may ride here soon like Uncle Ed.

Please drop a line as to how any of our retirees are doing. This is an opportunity to let others know what you are doing and how you are doing, Please email to Cmdr. Chiodo at pchiodo@villageofschillerpark.com.

And Finally...

All things are possible until they prove impossible—even the impossible may only be so as of now.

Deadlines

The deadline for the next issue of the *Booster Line* will be 8:00 A.M. February 7th. Please submit all materials, articles, ideas and photos to the *Booster Line* clo Cmdr. Chiodo at pchiodo@villageofschillerpark.com

The Booster Line is published monthly on or about the 15th. All articles and suggestions are welcome. The Editor, Peter Chiodo, reserves the right to edit based on content and space availability.

Photographs- Page 7 Boy Scouts visit firehouse

Our neighbors get new apparatus

Page 8- Norwood Park Engine 101

Page 9-Northlake Engine 806

Page 10- Franklin Park Engine 1 and 2





MARION

A Tradition of Quality. Since 1905

SOLD FOR \$485,785

*DEALER DELIVERY & PREP NOT INCLUDED

Northlake Fire Protection District Custom Pumper



FEATURES & BENEFITS

- All aluminum extruded body
- Fully multiplexed - Improved dependability and diagnostics
- Climate controlled command center
- Enclosed ground ladder storage
- Enclosed pump panel
- Speedlays with pull-out tray and fully extendable roll-out tray
- 750 Gallon water tank
- PowerArc lighting
- 3000 Watt light tower
- 10KW Onan generator
- Rear-view camera system
- 1500 GPM Waterous pump
- EMS cabinet with exterior access
- Spartan Gladiator - Cummins 450 ISL
- Seating for Five and 10" Raised Roof





MUELLER® HYDRANT DEFENDER™ SECURITY DEVICE

Mueller Co.

9A.1

Rev. 9-09

MUELLER Hydrant Security Device

When conducting a vulnerability assessment (V.A.), infiltration of a municipal water supply through an unsecured fire hydrant should be a primary concern.

Most of the hydrant security devices available throughout the country use a universal wrench or tool that can easily be obtained by a motivated wrongdoer. These security devices can be unlocked and replaced with little or no evidence of tampering to the water authority.


The Mueller Hydrant Defender Device provides security to the hydrant nozzles at two levels. First, the 14 gauge (.075") 304 stainless steel straps prevent unauthorized access to all but the most determined individuals. Second, unlike most other security devices, evidence of tampering will be clearly visible. In the event of an emergency, fire personnel can quickly and easily open the lock and remove the Hydrant Defender straps in seconds.

The stainless steel barrel lock* features a key, or keys, that are uniquely coded for the purchaser and strictly con-

trolled by the manufacturer. When the device is securely locked, the hydrant nozzles and the operating nut can only be accessed by completely cutting through the heavy straps or barrel lock. Damage to the straps or lock will be clearly evident, even from a distance, and the water authority can investigate the problem immediately.

The Hydrant Defender device is the most affordable hydrant security system available today. The unit can be factory installed on the Mueller Super Centurion® hydrant or ordered separately. Its straps are adjustable to accommodate variations in hydrant dimensions, and models are available to fit virtually any make of 3-way hydrant. Custom markings such as "Out of Service" or a durable epoxy paint custom matched to virtually any color scheme can be applied. Installation is quick and easy. No special tools are required.

*Recommended lock must be purchased directly from lock manufacturer: Highfield Mfg. Co. (203) 384-2281



Hydrant Defender Security Device

For Mueller A-421 / A-423 Super Centurion 250 Fire Hydrant (With or Without Weather Shield)

Hydrant Type*

Mueller Improved Fire Hydrant

Mueller A-421 or A-423 Super Centurion Fire Hydrant

Mueller A-421 or A-423 Super Centurion Fire Hydrant With 4" Storz

Mueller A-421 or A-423 Super Centurion Fire Hydrant With 5" Storz

Mueller A-411 Standard Post Fire Hydrant

Part Number**

HSZ02000

HSZ00100

HSZ01000

HSZ04000

HSZ01000

Ordering Information:

The following information is required to properly size the Mueller Adjustable Hydrant Defender:

- A) Hydrant manufacturer
- B) Hydrant model
- C) Date of manufacture
- D) Main valve size
- E) Nozzle configuration (Example: 3-way, double pumper, etc.)
- F) Requested optional paint color (silver / stainless steel is standard)

*Contact Customer Service for makes and models not listed.

**Specify color of Hydrant Defenders Security Device ordered.



Schiller Park Fire Department

BLACK shift
 RED shift
 GOLD shift

JANUARY 2013							FEBRUARY 2013							MARCH 2013						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
		1	2	3	4	5						1	2						1	2
6	7	8	9	10	11	12	3	4	5	6	7	8	9	3	4	5	6	7	8	9
13	14	15	16	17	18	19	10	11	12	13	14	15	16	10	11	12	13	14	15	16
20	21	22	23	24	25	26	17	18	19	20	21	22	23	17	18	19	20	21	22	23
27	28	29	30	31	24	25	26	27	28	24	25	26	27	28	29	30				
																				31
APRIL 2013							MAY 2013							JUNE 2013						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
	1	2	3	4	5	6			1	2	3	4							1	
7	8	9	10	11	12	13	5	6	7	8	9	10	11	2	3	4	5	6	7	8
14	15	16	17	18	19	20	12	13	14	15	16	17	18	9	10	11	12	13	14	15
21	22	23	24	25	26	27	19	20	21	22	23	24	25	16	17	18	19	20	21	22
28	29	30	26	27	28	29	30	31	23	24	25	26	27	28	29					
																				30
JULY 2013							AUGUST 2013							SEPTEMBER 2013						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
	1	2	3	4	5	6				1	2	3	1	2	3	4	5	6	7	
7	8	9	10	11	12	13	4	5	6	7	8	9	10	8	9	10	11	12	13	14
14	15	16	17	18	19	20	11	12	13	14	15	16	17	15	16	17	18	19	20	21
21	22	23	24	25	26	27	18	19	20	21	22	23	24	22	23	24	25	26	27	28
28	29	30	31	25	26	27	28	29	30	31	29	30								
OCTOBER 2013							NOVEMBER 2013							DECEMBER 2013						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
		1	2	3	4	5					1	2	1	2	3	4	5	6	7	
6	7	8	9	10	11	12	3	4	5	6	7	8	9	8	9	10	11	12	13	14
13	14	15	16	17	18	19	10	11	12	13	14	15	16	15	16	17	18	19	20	21
20	21	22	23	24	25	26	17	18	19	20	21	22	23	22	23	24	25	26	27	28
27	28	29	30	31	24	25	26	27	28	29	30	29	30	31						

HOLIDAYS

Jan 1 New Year's Day	Mar 31 Easter Sunday	Jul 4 Independence Day	Nov 11 Veterans Day
Jan 21 Martin Luther King Day	May 12 Mother's Day	Sep 2 Labor Day	Nov 28 Thanksgiving Day
Feb 14 Valentine's Day	May 27 Memorial Day	Oct 14 Columbus Day	Dec 24 Christmas Eve
Feb 18 President's Day	Jun 16 Father's Day	Oct 31 Halloween	Dec 25 Christmas Day
			Dec 31 New Year's Eve